

Royallydy

The Commercial Kitchen Specialist

Gas And Electric Energy Saving Steamer

- All stainless steel body, easy to clean
- Fully automatic pulse firing, convenient to operating.
- There are protective device on the the safe side for unexpected flame out.

SPECIFICATION

Model	GAS	Steam Pressure (Pa)	Consume (kg/h)	Heat Load (MJ/h)	Voltase (V)	Dimension (mm)	Weight (kg)
GSK-1	LPG	2800	1.4	67.8	DC 3	655 x 720 x 880	27.5
GSK-1E	LPG	2800	1.986	88	AC 220	655 x 720 x 880	27.5
GSK-2	LPG	2800	1.4	67.8	DC 3	655 x 720 x 880	27.5
GSK-2E	LPG	2800	1.986	88	AC 220	655 x 720 x 880	27.5
GSK-3	LPG	2800	1.4	67.8	DC 3	655 x 720 x 880	27.5
GSK-3E	LPG	2800	1.986	88	AC 220	655 x 720 x 880	27.5
GSK-4	LPG	2800	1.4	67.8	DC 3	655 x 720 x 880	27.5
GSK-4E	LPG	2800	1.986	88	AC 220	655 x 720 x 880	27.5



GSK-1 / GSK-1E



GSK-2 / GSK-2E



GSK-3 / GSK-3E



GSK-4 / GSK-4E



ZXY20-10 | ZXY20-12

ZXY20-6 | ZXY20-8

ZXY20-24

Heavy Duty Gas Rice Cooker

- Made by high quality stainless steel
- Integral foaming, thermal insulating, energy saving and environment friendly
- Automatic gas cutter without water to prevent high temperature
- Auto shut off flameout, Automatic water inlet, boiler alarm, safety steam valve
- Multiple air sac embedded silicon gel door seal, providing reliable sealing
- High hot efficiency in burning system, raise up the temperature quickly

SPECIFICATION

Model	Description	GAS	Steam Pressure (Pa)	Consume (kg/h)	Heat Load (MJ/h)	Dimension (mm)
ZXY20-6	Single door, 6 trays	LPG	2800	1.56	20	700 x 650 x 1130
ZXY20-8	Single door, 8 trays	LPG	2800	1.56	20	700 x 650 x 1130
ZXY20-10	Single door, 10 trays	LPG	2800	1.56	20	700 x 650 x 1470
ZXY20-12	Single door, 12 trays	LPG	2800	1.56	20	700 x 650 x 1640
ZXY20-24	Double door, 24 trays	LPG	2800	1.56 x 2	20 x 2	1400 x 650 x 1640

Trasy size : 600 x 400 x 48 mm

Double Door Sea Food Steamer

- All stainless steel body
- Fully automatic pulse firing.
- Highly efficient heating apparatus.
- Automatic watering and water depelation protection.
- Timing function.
- Protective devide for unexpected flameout.

SPECIFICATION

Capacity	600 L
Layers	4
Weight	30 kg
Size	670 x 650 x 805 mm



SC-2D

Food Warmer Display Cabinet



EB-1



EB-2



EB-3

SPECIFICATION

Model	Voltage	Power	Weight	Dimension (mm)
EB-1	220 v / 50Hz	1 kW	37 Kg	680 x 525 x 605
EB-2	220 v / 50Hz	1.84 kW	48 Kg	920 x 525 x 605
EB-3	220 v / 50Hz	2.2 kW	58 Kg	1190 x 525 x 605

- International new design.
- Deluxe & elegant appearance.
- High quality electric part
- Energy saving and safety.
- Limpid glass and removeable shelf display.

Hot Air Cycling Food Warmer Cabinet

- All stainless steel body, large capacity.
- Equiped with wheel easy to transport.
- Rubber chick absorper, cupped handle, Good Looking.

SPECIFICATION

Model	Voltage	Power	Weight	Inner Size	Dimension (mm)
EB-6W	220 v / 50Hz	1 kW	37 Kg	350 x 540 x 1000	680 x 525 x 605
EB-10W	220 v / 50Hz	1.84 kW	48 Kg	540 x 680 x 1390	920 x 525 x 605
EB-20W	220 v / 50Hz	2.2 kW	58 Kg	1300 x 680 x 1400	1190 x 525 x 605



EB-20W



EB-10W



EB-6W

Always Innovative For Your Satisfaction

BEF Series Electric Fryer

- Stainless steel body.
- Hi-limit safety thermostat, safety and dependable.
- Snap action thermostat control, high efficiency and energy conservation.
- International popular style, deluxe appearance.

SPECIFICATION

Model	Dimension (Mm)	Capacity (L)	Power (W)	Voltage (V)
BEF-121V	316 x 55 x 382	12	4	220
BEF-181V	330 x 615 x 439	18	4.8	220
BEF122V	630 x 555 x 382	12 x 2	4 x 2	220
BEF-182V	650 x 615 x 439	18 x 2	4.8 x x	220



BEF-121V



BEF-181V



BEF-182V

Electric Fryer

- Stainless steel body.
- Installed high efficient heater.
- Time thermostart installation.
- Also with overhead protection.
- Insert style fryer head.

SPECIFICATION

Model	Dimension (Mm)	Capacity (L)	Temp. Range (°C)	Weight (Kg)	Power (W)	Voltage (V)
ER-6L	265 x 410 x 290	6	60 ~ 200	7	2.5	220 / 50
ER-6L2	550 x 410 x 290	6 x 2	60 ~ 200	13	2.5 x 2	220 / 50
ER-8L	265 x 410 x 340	8	60 ~ 200	8.5	3.25	220 / 50
ER-8L2	550 x 410 x 340	8 x 2	60 ~ 200	15	3.25 x 2	220 / 50
ER-11L	325 x 435 x 340	11	60 ~ 200	9	3.5	220 / 50
ER-11L2	370 x 435 x 340	11 x 2	60 ~ 200	17	3.5 x 2	220 / 50
EF-171C	340 x 610 x 360	17	60 ~ 300	7	6	220 / 50
EF-172C	650 x 610 x 360	17 x 2	60 ~ 300	15	6+6	220 / 50



ER-6L/ER-8L/ER-11L



ER-6L2/ER-8L2/ER-11L2



EF-172C



Luxurious GRILL

- All stainless steel body.
- European style design.
- Aluminium Heating Plate.
- With thermostat.

SPECIFICATION

Model	Dimension (mm)	Power (kW)	Voltage
NPL-1G	330 x 460 x 210	2.4	~220 V- 50 Hz
NPL-2G	668 x 460 x 210	4.8	~220 V- 50 Hz
NPL-1D	270 x 395 x 250	1.5	~220 V- 50 Hz
NPL-1D	415 x 420 x 250	2.05	~220 V- 50 Hz
NPL-1R	415 x 420 x 250	2.05	~220 V- 50 Hz



Contact Grill Npl1g



Contact Grill Npl2g



Two Side Grill
Npl-1d



Two Side Grill
Npl-1r

GAS Burner

- All stainless steel body.
- Pressing mould bracket.
- Automatic adjusted valve.
- Energy saving and safe.

SPECIFICATION

Model	Gas Type	Gas Pressure (Pa)	Weight (Kg)	Heat Load (MJ/h)	Dimension (mm)
RB-4	LPG Gas	2800	45	116	842 x 877 x 410
RB-6	LPG Gas	2800	60	174	1213 x 877 x 410
RB-8	LPG Gas	2800	76	232	1584 x 877 x 410
RB-4W	LPG Gas	2800	49	116	842 x 877 x 830
RB-6W	LPG Gas	2800	66	174	1213 x 877 x 380
RB-8W	LPG Gas	2800	84	232	1584 x 877 x 830



RB-8



RB-6



RB-4



RB-8W



RB-6W



RB-4W

PT. USAHA CHUNLAN INDONESIA

Service Center : Telp : +6221 65301628-30 | Fax : +6221 65301769

Gas OVEN

- Burner is made of seamless steel tube, baking with fire.
- Thermal insulating and energy saving.

Model	Dimension (mm)	Steam Pressure (Pa)	Heat Load (MJ/h)	Weight (Kg)	Voltage	Power (W)
GEB-J2D	1330 x 895 x 680	2800	24	135	220 / 50Hz	0.1
GEB-J4D	1330 x 895 x 1460	2800	48	280	220 / 50Hz	0.2
GEB-J6D	1330 x 895 x 1735	2800	72	410	220 / 50Hz	0.3
GEB-J9D	1735 x 895 x 1735	2800	72	500	220 / 50Hz	0.4



GEB-J2D



GEB-J4D



GEB-J6D



GEB-J9D

Electric Convection OVEN

- All stainless steel body.
- High efficient stainless steel heater.
- Automatic water input.
- Steam function.
- Thermostat and reset function.
- Timer control and alarm.
- Big glass door and lamp inside.



EB-F460-4C

EB-F460-8C

SPECIFICATION

Model	Dimension (mm)	Trays	Temp. Range (°C)	Time Setting (min)	Weight (Kg)	Voltage	Power (kW)
EB-F460-4C	755 x 905 x 720	4	50-400	0 ~ 60	75	220 / 50Hz	4.15
EB-F460-8C	755 x 905 x 1420	8	50-400	0 ~ 60	112	220 / 50Hz	8.3

Stainless Steel PROVER



- All stainless steel body.
- Reasonable structure.
- With thermostat
- Easy control.
- Energy saving
- Low noise.



FX-F420-8C



FX-12

SPECIFICATION

Model	Dimension (mm)	Trays	Temp. Range (°C)	Weight (Kg)	Voltage	Power (kW)
FX-F420-8C	755 x 905 x 1120	8	0 ~ 85	58	220 / 50Hz	2.2
FX12	490 x 750 x 2026	12	-	58	220 / 50Hz	2.4
Fx24	1000 x 750 x 2026	24	-	98	220 / 50Hz	2.6

Counter Top Rotary ROTISSERIES

- Stainless steel body, build in tungsten lamp.
- High efficiency heating element, barbecue equality.
- Burn surface can be reached up to 1000°C
- Automatic ignition, thermostart controller, timer setting, high temperature protection.
- Safety and energy saving.



GBR-28

EBR-26

SPECIFICATION

Model	Dimension (mm)	Gas Pressure (Pa)	Temp. Range (°C)	Weight (Kg)	Qty for Chicken (pcs)	Voltage	Power
EBR-26 (electric)	860 x 445 x 580	-	60 ~ 300	50	6	220 / 50Hz	3.05 kW
GBR-28 (gas)	860 x 625 x 750	2800	60 ~ 300	73	8	220 / 50Hz	50 W

GAS VERTICAL BROILER



- Stainless steel body.
- High efficient heater.
- High temperature limited.



GL-700

SPECIFICATION

Dimension	650 x 730 x 1100 mm
GAS Pressure	2800 Pa
Weight	51 Kg
Consumption	1.25 Kg/h

Electric PIZZA OVEN



PEO 33x12

PEO 33x8

PEO 33x4

PEO 33x2

SPECIFICATION

Model	Dimension (mm)	Temp (°C)	Weight (Kg)	Voltage	Power
PEO-33x4	970 x 920 x 360	0 ~ 400	75	220 / 50Hz	5.5 W
PEO-33x8	970 x 920 x 630	0 ~ 400	130	220 / 50Hz	11 W
PEO-33x12	970 x 920 x 900	0 ~ 400	185	220 / 50Hz	16.5 W
PEO-33x2	585 x 510 x 430	0 ~ 300	35	220 / 50Hz	3 W

- The European common pie plate (33 cm).
- Professional design for European Hotel.
- All stainless steel body, easy to clean.
- Automatic temperature control

Royallydy

The Commercial Kitchen Specialist

Multifunction Fruit And Vegetable Cutter

- All stainless steel, Good looking
- Compact configuration, complete function
- Easy operating, safety and credibility.

SPECIFICATION

Voltage	220 V / 50 Hz
Power	0.25 kW
Weight	28 kg
Knife diameter	204 mm
Productivity	120 kg/h
Dimension	300 x 510 x 590

QSM203A



Dough SHEETER



TSP520-1A/2A



LSP520-1A/2A

SPECIFICATION

Model	TSP520-1A/2A	LSP520-1A/2A
Voltage	~220V / 50Hz	~220V / 50Hz
Power	0.75 kW	0.75 kW
Roller Speed	133 r/min	133 r/min
Weight	250 Kg	280 Kg
Dimension	2430 x 875 x 650 mm	2430 x 875 x 1230 mm

- Novelty in appearance, solid and practical.
- Stable in working and safe.
- Two way pressing, powered by special motor.
- Variety in models, fit for different user needs.

Luxury Water Boiler

- Two Layer Warmer.
- Made by high quality stainless steel.
- High effective heating, burned protection.

SPECIFICATION

Model	Capacity (L)	Voltage (V)	Power (kW)	Size (ø)
WE-8	8	~220	0.95	284 x 420
WE-9	9	~220	0.95	284 x 450
WE-15	16	~220	1.5	326 x 528
WE-20	18.5	~220	1.5	326 x 578
WE-23	23	~220	2	366 x 583
WE-26	26	~220	2	366 x 633



WE-8 / 9

WE-15

WE-20 / 23

WE-26

Ice Crusher

- International popular style,
- Coating outside and luxurius
- Safety and energy saving.



IC180


SPECIFICATION

Voltage	~220V/50Hz
Power	0.18 Kw
Net Weight	22 Kg
Capacity	1L
Rotate Speed	400 R/min
Size (mm)	300 x 400 x 450



Espresso Machine

- Programmable automatic dosing system.
- Patented safety electronic water level display.
- Pre-infusion function.
- Group head flushes 8 cycle automatically.
- Patented cup holder - for espresso, latte or take away cups.



GCM-822

SPECIFICATION

Voltage	220 V/50/60 Hz
Boiler	13.5 t
Heater	4000 W
Size (mm)	760 x 530 x 560



DW-2R

W-1

1 Warmer Coffee Maker

SWR-2
2Boiler & 2 Warmer Coffee Maker

Coffee MAKER & MACHINE

- Stainless steel body, calorific tube and inner liner
- Cast cooper electric heating plate.
- National standard for food and hygienis requirement.
- Temperature controlling.
- Energy saving and easy to use.

SPECIFICATION

Model	Dimension (mm)	Power	Capacity	Voltage
DW-2R	438 x 406 x 483	2.7 kW	16 kg	220 / 50Hz
SWR-4	400 x 382 x 113	1.2 kW	-	220 / 50Hz
W-1	247 x 233 x 68	0.1 kW	-	220 / 50Hz

Electri Bain-Marie

- All Stainless steel body, stainless steel soup pot.
- High efficiency heating element.
- Automatic thermostat control.
- Disassembly sneeze quards device and cleanness.

SPECIFICATION

Model	Capacity	Power (kW)	Voltage (V)	Dimension (mm)
BSB-3	1/2 x 4" x 3	1.5	~220	905 x 350 x 315
BSB-4	1/2 x 4" x 4	1.5	~220	1170 x 350 x 315
BSB-5	1/2 x 4" x 5	1.8	~220	1435 x 350 x 315



BSB-4

BSB-5

BSB-3

Conveyor Toaster

- Maximun toasting bread 400 pcs/h
- Stainless steel casing



DS-350

SPECIFICATION

Dimension	490 x 390 x 430 mm
Power	2.2 kW
Voltage	220 V



RG-5

RG-7

RG-11

RG-9

Roller Hotdog GRILL

SPECIFICATION

Model	Rollers	Weight (kg)	Power (kW)	Dimension (Mm)
RG-5	5	6.5	0.5	440 x 280 x 205
RG-7	7	8.5	0.7	440 x 360 x 205
RG-9	9	11.5	0.9	550 x 435 x 205
RG-11	11	13.5	1.1	550 x 512 x 205

- Stainless steel body.
- High efficient heater.
- High temperature limited.

CREPE MACHINE & GRILLER



- Stainless steel body.
- Automatic fire system.
- Safety and energy saving.
- Flameout protection device.



GJB35

GJB35-2

SPECIFICATION

Model	Gas Type	Pressure (Pa)	Dimension (Mm)
GJB35	LPG Gas	2800	450 x 455 x 195
GJB35-2	LPG Gas	2800	850 x 455 x 195